

15m Class
CZIL_2023-03-31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídu 15m	Index	H				
				ZÁKLADNÍ hmotnost		
Typ (verze) kluzáku	index "s vodou"	Hendikep	MTOW	kluzák bez vody + posádka	rozpětí	posádka
303 Mosquito	105,0	0,940	450		15	1
Antares 18S, Antares 18T	120,0	1,074	600		18	1
Antares 20E	122,9	1,100	660		20	1
Antares 23E, Antares 23T	127,9	1,145	850		23	1
Apis 15M	96,6	0,865		245	15	1
Apis 2, Apis/ Bee PG, Apis Elektric, Apis M	98,3	0,880		315, 250, 300, 305	15/ 14,8/ 15/ 15	1
Apis/ Bee M	100,1	0,896		322,5	14,8	1
Arcus E, Arcus M, Arcus S, Arcus T	117,1	1,048	800 (810 pro "E")		20	2
AS 33, AS 33 Es, AS 33 Me 15m	117,8	1,055	550		15	1
AS 33, AS 33 Es, AS 33 Me 18m	122,4	1,096	600		18	1
ASG-29, ASG-29E 15m -525kg	117,1	1,048	525		15	1
ASG-29, ASG-29E 15m -550kg	117,2	1,049	550		15	1
ASG-32, ASG-32 EL, ASG-32 Mi -800 kg	117,8	1,055	800		20	2
ASG-32, ASG-32 EL, ASG-32 Mi -850 kg	118,0	1,056	850		20	2
ASH 26, ASH 26 E	118,3	1,059	525		18	1
ASH 26 WL, ASH 26 E WL	118,8	1,064	525		18	1
ASH 31 Mi 18m	119,0	1,065	630		18	1
ASW-17	114,2	1,022	610		20	1
ASW-20 (A)+F 15m WL	108,5	0,971	454		15	1
ASW-20 B(L) 15m	108,6	0,972	525		15	1
ASW-20 B(L) 15m WL	109,6	0,981	525		15	1
ASW-20 BL 16,59m	109,7	0,982	430		16,59	1
ASW-20 C(L) 15m	108,3	0,970	454		15	1
ASW-20 C(L) 15m WL	109,1	0,977	454		15	1
ASW-20 CL 16,59m	108,5	0,971		380	16,59	1
ASW-22, ASW-22M 22m	120,0	1,074	750		22	1
ASW-22, ASW-22M 24m	119,5	1,070	650		24	1
ASW-24("A") WL (s modif TN8), ASW-24B WL, ASW-24E WL	108,2	0,969	500		15	1
ASW-27B	114,2	1,022	500		15	1
ASW-27B WL	115,2	1,031	500		15	1
ASW 28	111,7	1,000	525		15	1
ASW 28-15, ASW 28-15E	111,5	0,998	525		15	1
ASW 28-18, ASW 28-18E	115,9	1,038	525		15	1
DG-200 17m, DG-202 17m	108,1	0,968	450		17	1
DG-200 17m WL, DG-202 17m WL	108,8	0,974	450		17	1
DG-400 17m	108,5	0,971	460		17	1
DG-500 22m	113,1	1,013	750		22	2
DG-500M 22m	113,7	1,018	825		22	2
DG-600 15m WL, DG-600M 15m WL	110,1	0,986	525		15	1

15m Class
CZIL_2023-03-31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídu 15m	Index	H				
				ZÁKLADNÍ hmotnost		
Typ (verze) kluzáku	index "s vodou"	Hendikep	MTOW	kluzák bez vody + posádka	rozpětí	posádka
DG-600 17m, DG-600M 17m	115,7	1,036	525		17	1
DG-600 18m WL, DG-600M 18m WL	116,1	1,039	480		18	1
DG-800 A, DG-800 B 18m	117,6	1,053	525		18	1
DG-800 A, DG-800 B, DG-808 C Clasic 18m WL	118,4	1,060	525		18	1
DG-800 A, DG-800 B, DG-800 LA 15m	114,0	1,021	525		15	1
DG-800 A, DG-800 B, DG-800 LA 15m WL	114,8	1,028	525		15	1
DG-800 LA 18m	116,9	1,047	480		18	1
DG-800 LA 18m WL	117,5	1,052	480		18	1
DG-800 S 15m	114,9	1,029	525		15	1
DG-800 S 18m	118,2	1,058	525		18	1
DG-800 S 18m WL	119,0	1,065	525		18	1
DG-808 C Clasic, DG-808 C Competition 15m WL	115,1	1,030	525 (540 Competit.)		15	1
DG-808 C Competition 18m WL	119,9	1,073	600		18	1
DG-800 S, DG-808 S Clasic 15m WL	115,7	1,036	525		15	1
DG-808 S Clasic 18m WL	119,4	1,069	600		18	1
DG-808 S Competition 15m WL	115,9	1,038	570		15	1
DG-1001M, DG-1000S, DG-1001S, DG-1001T, DG-1001TE 20m	109,4	0,979	750		20	2
Discus 2a 15m	112,6	1,008	525		15	1
Discus 2b, Discusc 2c, Discus 2T 15m	111,8	1,001	525		15	1
Discusc 2c FES 15m	110,6	0,990	525		15	1
Discusc 2c, Discus 2T 18m	116,3	1,041	565		18	1
Discusc 2c FES 18m	115,1	1,030	565		18	1
Discus a	109,4	0,979	525		15	1
Discus a WL	110,4	0,988	525		15	1
Discus b, Discus CS	108,0	0,967	525		15	1
Discus b WL, Discus CS WL	109,1	0,977	525		15	1
Discus bt WL	108,2	0,969	450		15	1
Duo Discus -700 kg, Duo Discus T -700kg	111,0	0,994	700		20	2
Duo Discus -750 kg, Duo Discus T -750kg	111,5	0,998	750		20	2
Duo Discus WL, Duo Discus T WL -700kg	112,1	1,004	700		20	2
Duo Discus X, Duo Discus XT, Duo Discus WL -750 kg, Duo Discus T WL -750kg	112,7	1,009	750		20	2
Duo Discus XL, Duo Discus XLT	112,5	1,007	750		20	2
Duo Discus XLF	111,3	0,996	750		20	2
GP 14 E Velo -245 kg	109,8	0,983	245		13,5	1
GP 14 E Velo	112,4	1,006	425		13,5	1
GP 14 SE Velo -245 kg	110,6	0,990	245		13,5	1
GP 14 SE Velo	113,8	1,019	425		13,5	1
GP 15 E Jeta	118,6	1,062	465		14,97	1
HpH 304cz 17,4m	109,7	0,982	450		17,43	1

15m Class
CZIL_2023-03-31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídu 15m	Index	H				
				ZÁKLADNÍ hmotnost		
Typ (verze) kluzáku	index "s vodou"	Hendikep	MTOW	kluzák bez vody + posádka	rozpětí	posádka
HpH 304ES SHARK 18m -573 kg	114,9	1,029	573		18	1
HpH 304ES SHARK 18m -600 kg	115,5	1,034	600		18	1
HpH 304JS SHARK 18m -573 kg	116,1	1,039	573		18	1
HpH 304MS SHARK 18m -560 kg	115,9	1,038	560		18	1
HpH 304JS SHARK, HpH 304MS SHARK, HpH 304S 18m -600 kg	116,7	1,045	600		18	1
HpH 304 TS Twin Shark S, HpH 304 TS Twin Shark MS -800 kg	117,0	1,047	800		20	2
HpH 304 TS Twin Shark S, HpH 304 TS Twin Shark MS -850 kg	117,1	1,048	850		20	2
JS3, JS3 RES, JS3 TJ 15m	118,2	1,058	525		15	1
KKB 15	110,1	0,986	500		15	1
KKB 15E+ (FES)	108,9	0,975	500		15	1
KKB 18	114,3	1,023	500		18	1
KKB 18E+ (FES)	113,1	1,013	500		18	1
LAK 12	114,4	1,024	650		20,42	1
LAK 17A 15m, LAK 17AT 15m	114,9	1,029	500		15	1
LAK 17A 15m WL, LAK 17AT 15m WL	115,9	1,038	500		15	1
LAK 17A FES 15m	113,7	1,018	500		15	1
LAK 17A FES 15m WL	114,7	1,027	500		15	1
LAK 17A 18m, LAK 17AT 18m	118,2	1,058	500		18	1
LAK 17A 18m WL, LAK 17AT 18m WL	119,2	1,067	500		18	1
LAK 17A FES 18m	117,0	1,047	500		18	1
LAK 17A FES 18m WL	118,0	1,056	500		18	1
LAK 17B, LAK 17BT 15m -525 kg	116,6	1,044	525		15	1
LAK 17B FES 15m -525 kg	115,4	1,033	525		15	1
LAK 17B, LAK 17BT 15m -550 kg	116,7	1,045	550		15	1
LAK 17B FES 15m -550 kg	115,5	1,034	550		15	1
LAK 17B FES 18m	119,2	1,067	600		18	1
LAK 17B mini	108,1	0,968	350		13,5	1
LAK 19 15m, LAK 19T 15m	109,7	0,982	500		15	1
LAK 19 15m WL, LAK 19T 15m WL	111,2	0,996	500		15	1
LAK 19 FES 15m	108,5	0,971	500		15	1
LAK 19 FES 15m WL	110,0	0,985	500		15	1
LAK 19 18m, LAK 19 T 18m	115,1	1,030	500		18	1
LAK 19 18m WL, LAK 19 T 18m WL	116,0	1,038	500		18	1
LAK 19 FES 18m	113,9	1,020	500		15	1
LAK 19 FES 18m WL	114,8	1,028	500		15	1
LS-6	112,1	1,004	525		15	1
LS-6a, LS-6b, LS-6c 15m	113,0	1,012	525		15	1
LS-6c 15m WL	113,9	1,020	525		15	1
LS-6c 17,5m	116,3	1,041	525		17,5	1

15m Class
CZIL_2023-03-31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídu 15m	Index	H				
				ZÁKLADNÍ hmotnost		
Typ (verze) kluzáku	index "s vodou"	Hendikep	MTOW	kluzák bez vody + posádka	rozpětí	posádka
LS-6c 18m WL	117,8	1,055	525		18	1
LS-8, LS-8a, LS-8b, LS-8s, LS-8-18, LS-8s, LS-8st 15m	111,7	1,000	525		15	1
LS-8e neo 15m	111,1	0,995	525		15	1
LS-8 neo 15m	112,3	1,005	525		15	1
LS-8e neo 18m	115,9	1,038	575		18	1
LS-8b, LS-8-18, LS-8t 18m	116,1	1,039	525		18	1
LS-8s, LS-8st 18m	116,5	1,043	575		18	1
LS-8 neo 18m	117,1	1,048	575		18	1
LS-10s, LS-10st 15m	114,2	1,022	540		15	1
LS-10s, LS-10st 18m	119,6	1,071	600		18	1
Nimbus 2, Nimbus 2b, Nimbus 2M	114,0	1,021	580		20,3	1
Nimbus 2 WL, Nimbus 2b WL, Nimbus 2M WL	114,6	1,026	580		20,3	1
Nimbus 2c	114,2	1,022	650		20,3	1
Nimbus 2c WL	114,9	1,029	650		20,3	1
Nimbus 3D 24,6m	120,0	1,074	750		24,6	2
Nimbus 3DM 24,6m	120,0	1,074	820		24,6	2
Nimbus 3DT 24,6m	119,9	1,073	800		24,6	2
STEMME S 10-VT 23m	113,2	1,013		850	23	2
SZD-38 Jantar 1	110,5	0,989	515		19	1
SZD-42 Jantar 2, SZD-42 Jantar 2A	113,0	1,012	649		20,5	1
SZD-42 Jantar 2B	114,0	1,021	649		20,5	1
SZD-56-1 Diana	114,4	1,024	410		15	1
SZD-56-2 Diana-2	118,7	1,063	500		14,94	1
SZD-56-2 Diana-2 FES	117,5	1,052	500		14,94	1
SZD-56-2 Diana-2 vers VS 13,5m -288 kg	109,4	0,979	288		13,5	1
SZD-56-2 Diana-2 vers VS 13,5m	112,1	1,004	500		13,5	1
SZD-56-2 Diana-2 vers VS 13,5m FES	110,9	0,993	500		13,5	1
T-59D Kestrel 19m	110,4	0,988	472		19	1
Ventus 2a 15m	117,1	1,048	525		15	1
Ventusy: 2b, 2c, 2cx, 2cxa, 2cxm, 2cxt, 2cxaJ 15m	116,3	1,041	525		15	1
Ventus 2cm 15m	115,9	1,038	525		15	1
Ventus 2ct 15m	115,7	1,036	525		15	1
Ventus 2cxa FES 15m	115,1	1,030	525		15	1
Ventus 2c 18m -525 kg	119,1	1,066	525		18	1
Ventus 2cm 18m -500 kg	118,3	1,059	500		18	1
Ventus 2cm 18m -525 kg	118,8	1,064	525		18	1
Ventus 2cm, Ventus 2cxm, Ventus 2cxt 18m -565 kg	119,6	1,071	565		18	1
Ventus 2ct 18m -500 kg	118,5	1,061	500		18	1
Ventus 2ct 18m -525 kg	119,0	1,065	525		18	1

15m Class
CZIL_2023-03-31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídu 15m	Index	H				
				ZÁKLADNÍ hmotnost		
Typ (verze) kluzáku	index "s vodou"	Hendikep	MTOW	kluzák bez vody + posádka	rozpětí	posádka
Ventus 2ct 18m -565 kg	119,8	1,073	565		18	1
Ventus 2cxa FES 18m -600 kg	119,3	1,068	600		18	1
Ventus 3 Performance 15m, Ventus 3T Performance 15m	116,7	1,045	525		15	1
Ventus 3 Sport 15m, Ventus 3T Sport 15m	118,5	1,061	525		15	1
Ventus 3F Sport 15m	117,3	1,050	525		15	1
Ventus a 15m -500 kg	112,6	1,008	500		15	1
Ventus a 15m -525 kg	112,7	1,009	525		15	1
Ventus a 15m WL -500 kg	114,1	1,021	500		15	1
Ventus a 15m WL -525 kg	114,1	1,021	525		15	1
Ventus a 16,6m	114,4	1,024	430		16,6	1
Ventus a 17,6m	115,6	1,035	430		17,6	1
Ventus b 15m -500 kg	111,5	0,998	500		15	1
Ventus b 15m -525 kg	111,6	0,999	525		15	1
Ventus b 15m WL -500 kg	112,7	1,009	500		15	1
Ventus b 15m WL -525 kg	112,7	1,009	525		15	1
Ventus b 16,6m	113,9	1,020	430		16,6	1
Ventus b 16,6m WL	114,7	1,027	430		16,6	1
Ventus b 17,6m	114,9	1,029	430		17,6	1
Ventus bt 15m	110,9	0,993	430		15	1
Ventus bt 15m WL	111,9	1,002	430		15	1
Ventus bt 16,6m	114,0	1,021	430		16,6	1
Ventus c 15m WL	114,1	1,021	525		15	1
Ventus c 17,6m	117,1	1,048	500		17,6	1
Ventus c 17,6m WL	117,8	1,055	500		17,6	1
Ventus cm 15m WL	112,1	1,004	430		15	1
Ventus cm 17,6m	115,6	1,035	430		17,6	1
Ventus cm 17,6m WL	116,3	1,041	430		17,6	1
Ventus ct 15m WL	112,4	1,006	430		15	1
Ventus ct 17,6m	115,7	1,036	430		17,6	1
Ventus ct 17,6m WL	116,4	1,042	430		17,6	1