

Combi Class
CZIL_2023_03_31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídy	Index	H				
				ZÁKLADNÍ hmotnost		
<i>Typ (verze) kluzáku</i>	<i>index "s vodou"</i>	<i>Hendikep</i>	<i>MTOW</i>	<i>kluzák bez vody + posádka</i>	<i>rozpětí</i>	<i>posádka</i>
Antares 18S, Antares 18T	120,0	0,989	600		18	1
Antares 20E	122,9	1,013	660		20	1
Antares 23E, Antares 23T	127,9	1,054	850		23	1
Arcus E, Arcus M, Arcus S, Arcus T	117,1	0,965	800 (810 pro "E")		20	2
AS 33, AS 33 Es, AS 33 Me 15m	117,8	0,971	550		15	1
AS 33, AS 33 Es, AS 33 Me 18m	122,4	1,009	600		18	1
ASG-29, ASG-29E 15m -525kg	117,1	0,965	525		15	1
ASG-29, ASG-29E 15m -550kg	117,2	0,966	550		15	1
ASG-29, ASG-29E 18m	121,3	1,000	600		18	1
ASG-32, ASG-32 EL, ASG-32 Mi -800 kg	117,8	0,971	800		20	2
ASG-32, ASG-32 EL, ASG-32 Mi -850 kg	118,0	0,973	850		20	2
ASH-25, ASH-25EB, ASH-25E, ASH-25M, ASH-25Mi 25m	120,6	0,994	750 (790 pro "Mi")		25	2
ASH-25, ASH-25E, ASH-25M, ASH-25Mi 25,6m	122,7	1,012	750 (790 pro "Mi")		25,6	2
ASH-25, ASH-25E, ASH-25M, ASH-25Mi 26m	122,9	1,013	750 (790 pro "Mi")		26	2
ASH-25EB 27m WL	122,9	1,013	750		27	2
ASH-25EB 28	124,0	1,022	810		28	2
ASH 26, ASH 26 E	118,3	0,975	525		18	1
ASH 26 WL, ASH 26 E WL	118,8	0,979	525		18	1
ASH 30 Mi	124,6	1,027	850		26,5	2
ASH 31 Mi 18m	119,0	0,981	630		18	1
ASH 31 Mi 21m	124,1	1,023	700		21	1
ASW-22, ASW-22M 22m	120,0	0,989	750		22	1
ASW-22, ASW-22M 24m	119,5	0,985	650		24	1
ASW-22B 25m, ASW-22BE 25m	124,1	1,023	750		25	1
ASW-22BL 26,58m, ASW-22BLE 26,58m, ASW-22BLE 27m -8	125,7	1,036	810		26,58 / 27	1
ASW-22BL 26,58m, ASW-22BLE 26,58m, ASW-22BLE 27m -8	126,1	1,040	850		26,58 / 27	1
ASW-27B WL	115,2	0,950	500		15	1
ASW 28-18, ASW 28-18E	115,9	0,955	525		15	1
Concordia	129,6	1,068	850		28	1
DG-600 17m, DG-600M 17m	115,7	0,954	525		17	1
DG-600 18m WL, DG-600M 18m WL	116,1	0,957	480		18	1
DG-800 A, DG-800 B 18m	117,6	0,969	525		18	1
DG-800 A, DG-800 B, DG-808 C Clasic 18m WL	118,4	0,976	525		18	1
DG-800 LA 18m	116,9	0,964	480		18	1

Combi Class
CZIL_2023_03_31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídy	Index	H				
				ZÁKLADNÍ hmotnost		
<i>Typ (verze) kluzáku</i>	<i>index "s vodou"</i>	<i>Hendikep</i>	<i>MTOW</i>	<i>kluzák bez vody + posádka</i>	<i>rozpětí</i>	<i>posádka</i>
DG-800 LA 18m WL	117,5	0,969	480		18	1
DG-800 S 18m	118,2	0,974	525		18	1
DG-800 S 18m WL	119,0	0,981	525		18	1
DG-808 C Clasic, DG-808 C Competition 15m WL	115,1	0,949	525 (540 Competit.)		15	1
DG-808 C Competition 18m WL	119,9	0,988	600		18	1
DG-800 S, DG-808 S Clasic 15m WL	115,7	0,954	525		15	1
DG-808 S Clasic 18m WL	119,4	0,984	600		18	1
DG-808 S Competition 15m WL	115,9	0,955	570		15	1
DG-808 S Competition 18m WL	120,1	0,990	600		18	1
Diana 3	122,0	1,006	600		18	1
Diana 3 FES	120,8	0,996	600		18	1
Discusc 2c, Discus 2T 18m	116,3	0,959	565		18	1
Discusc 2c FES 18m	115,1	0,949	565		18	1
EB-28	124,4	1,026	850		28	2
EB-28 edition 25,3m	124,9	1,030	850		25,3	2
EB-28 edition 28,3m	125,3	1,033	850		28,3	2
EB-29 25,3m, EB-29 28,3m, EB-29 29,3m -850 kg	128,2	1,057	850		25,3/ 28,3/ 29,3	1
EB-29D 25,3m	126,5	1,043	850		25,3	2
EB-29D 28,3m	126,8	1,045	850		28,3	2
EB-29DE 25,3m -850 kg	126,3	1,041	850		25,3	2
EB-29DE 25,3m -900 kg	126,7	1,045	900		25,3	2
EB-29DE 28,3m -850 kg	126,6	1,044	850		28,3	2
EB-29DE 28,3m -900 kg	127,1	1,048	900		28,3	2
EB-29DR	128,2	1,057	850		28	2
EB-29R	129,8	1,070	850		28	1
ETA	125,1	1,031	850		30,9	2
GP 15 E Jeta	118,6	0,978	465		14,97	1
GP 15 SE Jeta	120,2	0,991	465		14,97	1
HpH 304ES SHARK 18m -600 kg	115,5	0,952	600		18	1
HpH 304JS SHARK 18m -573 kg	116,1	0,957	573		18	1
HpH 304MS SHARK 18m -560 kg	115,9	0,955	560		18	1
HpH 304JS SHARK, HpH 304MS SHARK, HpH 304S 18m -600	116,7	0,962	600		18	1
HpH 304 TS Twin Shark S, HpH 304 TS Twin Shark MS -800 I	117,0	0,965	800		20	2
HpH 304 TS Twin Shark S, HpH 304 TS Twin Shark MS -850 I	117,1	0,965	850		20	2

Combi Class
CZIL_2023_03_31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídy	Index	H				
					ZÁKLADNÍ hmotnost	
<i>Typ (verze) kluzáku</i>	<i>index "s vodou"</i>	<i>Hendikep</i>	<i>MTOW</i>	<i>kluzák bez vody + posádka</i>	<i>rozpětí</i>	<i>posádka</i>
JS1-A 18, JS1-B 18, JS1-C 18, JS1-BTJ 18, JS1-CTJ 18	121,1	0,998	600		18	1
JS1-C 18 EVO, JS1-CTJ 18 EVO	121,6	1,002	600		18	1
JS1-C 21, JS1-CTJ 21	127,7	1,053	720		21	1
JS3, JS3 RES, JS3 TJ 15m	118,2	0,974	525		15	1
JS3, JS3 RES, JS3 TJ 18m	122,7	1,012	600		18	1
LAK 17A 15m WL, LAK 17AT 15m WL	115,9	0,955	500		15	1
LAK 17A 18m, LAK 17AT 18m	118,2	0,974	500		18	1
LAK 17A 18m WL, LAK 17AT 18m WL	119,2	0,983	500		18	1
LAK 17A FES 18m	117,0	0,965	500		18	1
LAK 17A FES 18m WL	118,0	0,973	500		18	1
LAK 17B, LAK 17BT 15m -525 kg	116,6	0,961	525		15	1
LAK 17B FES 15m -525 kg	115,4	0,951	525		15	1
LAK 17B, LAK 17BT 15m -550 kg	116,7	0,962	550		15	1
LAK 17B FES 15m -550 kg	115,5	0,952	550		15	1
LAK 17B, LAK 17BT 18m	120,4	0,993	600		18	1
LAK 17B FES 18m	119,2	0,983	600		18	1
LAK 17B, LAK 17BT 21m	124,7	1,028	600		21	1
LAK 17B FES 21m	123,5	1,018	600		21	1
LAK 19 18m, LAK 19 T 18m	115,1	0,949	500		18	1
LAK 19 18m WL, LAK 19 T 18m WL	116,0	0,956	500		18	1
LAK 20T 23m	120,3	0,992	825		23	2
LAK 20T 26m	122,5	1,010	850		26	2
LS-6c 17,5m	116,3	0,959	525		17,5	1
LS-6c 18m WL	117,8	0,971	525		18	1
LS-8e neo 18m	115,9	0,955	575		18	1
LS-8b, LS-8-18, LS-8t 18m	116,1	0,957	525		18	1
LS-8s, LS-8st 18m	116,5	0,960	575		18	1
LS-8 neo 18m	117,1	0,965	575		18	1
LS-10s, LS-10st 18m	119,6	0,986	600		18	1
Nimbus 3 22,9m -700kg	120,3	0,992	700		22,9	1
Nimbus 3 22,9m -750kg	120,4	0,993	750		22,9	1
Nimbus 3 22,9m WL -700kg	120,8	0,996	700		22,9	1
Nimbus 3 22,9m WL -750kg	121,1	0,998	750		22,9	1
Nimbus 3 24,5m -700kg	121,6	1,002	700		24,5	1

Combi Class
CZIL_2023_03_31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídy	Index	H				
				ZÁKLADNÍ hmotnost		
<i>Typ (verze) kluzáku</i>	<i>index "s vodou"</i>	<i>Hendikep</i>	<i>MTOW</i>	<i>kluzák bez vody + posádka</i>	<i>rozpětí</i>	<i>posádka</i>
Nimbus 3 24,5m -750kg	121,9	1,005	750		24,5	1
Nimbus 3 24,5m WL, Nimbus 3T 24,5m WL -750kg	122,5	1,010	750		24,5	1
Nimbus 3 25,5m -700kg	122,6	1,011	700		25,5	1
Nimbus 3 25,5m -750kg	123,0	1,014	750		25,5	1
Nimbus 3T 24,5m	121,8	1,004	750		24,5	1
Nimbus 3T 25,5m	122,9	1,013	750		25,5	1
Nimbus 3D 24,6m	120,0	0,989	750		24,6	2
Nimbus 3D 25,6m	120,7	0,995	750		25,6	2
Nimbus 3DM 24,6m	120,0	0,989	820		24,6	2
Nimbus 3DM 25,6m	121,1	0,998	820		25,6	2
Nimbus 3DT 24,6m	119,9	0,988	800		24,6	2
Nimbus 3DT 25,6m	121,1	0,998	800		25,6	2
Nimbus 4 -750 kg	124,3	1,025	750		26,4	1
Nimbus 4 -800 kg	125,4	1,034	800		26,4	1
Nimbus 4M	125,3	1,033	800		26,4	1
Nimbus 4T	125,3	1,033	800		26,4	1
Nimbus 4D	123,1	1,015	800		26,5	2
Nimbus 4DM	122,9	1,013	820		26,5	2
Nimbus 4DT	123,0	1,014	800		26,5	2
NimetaX	128,1	1,056	850		30,9	1
Quintus M	127,9	1,054	850		23	1
SZD-56-2 Diana-2	118,7	0,979	500		14,94	1
SZD-56-2 Diana-2 FES	117,5	0,969	500		14,94	1
Ventus 2a 15m	117,1	0,965	525		15	1
Ventusy: 2b, 2c, 2cx, 2cxa, 2cxm, 2cxt, 2cxaJ 15m	116,3	0,959	525		15	1
Ventus 2cm 15m	115,9	0,955	525		15	1
Ventus 2ct 15m	115,7	0,954	525		15	1
Ventus 2cxa FES 15m	115,1	0,949	525		15	1
Ventus 2c 18m -525 kg	119,1	0,982	525		18	1
Ventus 2cm 18m -500 kg	118,3	0,975	500		18	1
Ventus 2cm 18m -525 kg	118,8	0,979	525		18	1
Ventus 2cm 18m -600 kg	120,1	0,990	600		18	1
Ventus 2cm, Ventus 2cxm, Ventus 2cxt 18m -565 kg	119,6	0,986	565		18	1
Ventus 2ct 18m -500 kg	118,5	0,977	500		18	1

Combi Class
CZIL_2023_03_31_v26

CZIL_2023-03-31_v26 s korigovaným FES pro třídy	Index	H				
				ZÁKLADNÍ hmotnost		
<i>Typ (verze) kluzáku</i>	<i>index "s vodou"</i>	<i>Hendikep</i>	<i>MTOW</i>	<i>kluzák bez vody + posádka</i>	<i>rozpětí</i>	<i>posádka</i>
Ventus 2ct 18m -525 kg	119,0	0,981	525		18	1
Ventus 2ct 18m -565 kg	119,8	0,988	565		18	1
Ventus 2ct 18m -600 kg	120,3	0,992	600		18	1
Ventus 2cxa, Ventus 2cxaJ 18m -600 kg	120,5	0,993	600		18	1
Ventus 2cxa FES 18m -600 kg	119,3	0,984	600		18	1
Ventusy: 2cx, 2cxm, 2cxt 18m -600 kg	120,2	0,991	600		18	1
Ventus 3 Performance 15m, Ventus 3T Performance 15m	116,7	0,962	525		15	1
Ventus 3 Sport 15m, Ventus 3T Sport 15m	118,5	0,977	525		15	1
Ventus 3F Sport 15m	117,3	0,967	525		15	1
Ventus 3, Ventus 3M, Ventus 3T, -vše Performance 18m	121,4	1,001	600		18	1
Ventus 3 Sport 18m, Ventus 3T Sport 18m	122,5	1,010	600		18	1
Ventus 3F 18m Sport 18m	121,3	1,000	600		18	1
Ventus a 17,6m	115,6	0,953	430		17,6	1
Ventus c 17,6m	117,1	0,965	500		17,6	1
Ventus c 17,6m WL	117,8	0,971	500		17,6	1
Ventus cm 17,6m	115,6	0,953	430		17,6	1
Ventus cm 17,6m WL	116,3	0,959	430		17,6	1
Ventus ct 17,6m	115,7	0,954	430		17,6	1
Ventus ct 17,6m WL	116,4	0,960	430		17,6	1